FIGURES

Figure 1-1: Site Location Map

Figure 2-1: Parcel and Building Location Map

Figure 2-2: Deed Notices, CEAs, and Engineering Controls Map

Figure 2-3: Land Cover Map

Figure 2-4: UST Layout and Sample Locations

Figure 2-5: Monitoring Well, Soil Boring, Surface Sample Location Map

Figure 2-6: On-Site Areas of Concern

Figure 3-1: Site-Wide Soil Sampling Results - Arsenic

Figure 3-2: Site-Wide Soil Sampling Results - Benzene

Figure 3-3: Site-Wide Soil Sampling Results - Benzo(a)anthracene

Figure 3-4: Site-Wide Soil Sampling Results - Benzo(a)pyrene

Figure 3-5: Site-Wide Soil Sampling Results - Benzo(b)fluoranthene

Figure 3-6: Site-Wide Soil Sampling Results - Dibenz(a,h)anthracene

Figure 3-7: Site-Wide Soil Sampling Results - Lead

Figure 3-8: Site-Wide Soil Sampling Results - Manganese

Figure 3-9: Site-Wide Soil Sampling Results - Naphthalene

Figure 3-10: Site-Wide Soil Sampling Results - PCB-1254

Figure 3-11: Site-Wide Soil Sampling Results - PCB-1260

Figure 3-12: Site-Wide Soil Sampling Results - PCB-1262

Figure 3-13: Site-Wide Soil Sampling Results - TCE

Figure 3-14: Site-Wide Soil Sampling Results - Vinyl Chloride

Figure 3-15: 1,1,2-TCA Groundwater Sampling Results - Fill Unit

Figure 3-16: 1,4-Dioxane Groundwater Sampling Results - Fill Unit

Figure 3-17: Acetone Groundwater Sampling Results - Fill Unit

Figure 3-18: Antimony Groundwater Sampling Results - Fill Unit

Figure 3-19: Arsenic Groundwater Sampling Results - Fill Unit

Figure 3-20: Benzene Groundwater Sampling Results - Fill Unit

Figure 3-21: Benzo(a)pyrene Groundwater Sampling Results - Fill Unit

Figure 3-22: Cadmium Groundwater Sampling Results - Fill Unit

Figure 3-23: Benzo(a)anthracene Groundwater Sampling Results - Fill Unit

Figure 3-24: Ethyl Benzene Groundwater Sampling Results - Fill Unit

Figure 3-25: Indeno(1,2,3-cd)pyrene Groundwater Sampling Results - Fill Unit

Figure 3-26: Lead Groundwater Sampling Results - Fill Unit

Figure 3-27: m,p-Xylene Groundwater Sampling Results - Fill Unit

Figure 3-28: Methyl ethyl ketone Groundwater Sampling Results - Fill Unit

Figure 3-29: p-Cresol Groundwater Sampling Results - Fill Unit

Figure 3-30: Pentachlorophenol Groundwater Sampling Results - Fill Unit

Figure 3-31: Toluene Groundwater Sampling Results - Fill Unit

Figure 3-32: Groundwater Sampling Results for 1,1,2-TCA, and Benzo(a)anthracene - Deep Unit

Figure 3-33: Groundwater Sampling Results for 1,1,2,2-TCA and Tetrachloroethene - Deep Unit

Figure 3-34: Groundwater Sampling Results for Benzene, 1,4-Dioxane and Lead - Deep Unit

Figure 3-35: Copper Soil PRG

Figure 3-36: Naphthalene Soil PRG

Figure 3-37: TCE PRG

Figure 3-38: Xylenes Soil PRG


Figure 5-1: Soil/Fill Alternative 2: Institutional Controls and NAPL Removal

Figure 5-2: Soil/Fill Alternative 3: Institutional Controls, Engineering Controls, and NAPL Removal

Figure 5-3: Soil/Fill Alternative 4: Institutional Controls, Engineering Controls, Focused Removal with Off-Site Disposal of Lead, and NAPL Removal

Figure 5-4: Soil/Fill Alternative 5: Institutional Controls, In-Situ Soil Remediation, Engineering Controls, and LNAPL Removal

- Figure 5-5: Soil/Fill Alternative 6: Institutional Controls, Removal and Off-Site Disposal, and NAPL Removal
- Figure 5-6: Soil/Fill Alternative 7: Institutional Controls, Ex-Situ Treatment and On-Site Placement, Engineering Controls, and NAPL Removal
- Figure 5-7: Groundwater Alternative 2: Institutional Controls, Site Containment at River Edge, and Pump and Treat
 - Figure 5-8: Groundwater Alternative 3: Institutional Controls and In-Situ Remediation
 - Figure 5-9: Groundwater Alternative 4: Institutional Controls, Pump and Treat, and Targeted Periodic In-Situ Remediation
- Figure 5-10: Groundwater Alternative 5: Institutional Controls, Site Containment at River Edge, and Focused In-Situ Remediation
 - Figure 5-11: Groundwater Alternative 6: Institutional Controls and Site Containment
- Figure 5-12: Groundwater Alternative 7: Institutional Controls, Site Containment at River Edge, and Monitored Natural Attenuation
 - Figure 5-13: Soil Gas Alternative 2: Institutional Controls, Air Monitoring or Engineering Controls (existing occupied buildings) and Site-Wide Engineering Controls (future buildings)
- Figure 5-14: Soil Gas Alternative 3: Institutional Controls, Site-Wide Engineering Controls (future buildings), and Air Monitoring or Engineering Controls and In-Situ Remediation of Soil/Fill (existing occupied buildings)
- Figure 5-15: Soil Gas Alternative 4: Institutional Controls, Site-Wide Engineering Controls (future buildings), and Air Monitoring or Engineering Controls and Removal and Off-Site Disposal of Soil/Fill (existing occupied buildings)
- Figure 5-16: Soil Gas Alternative 5: Institutional Controls, Site-Wide Engineering Controls (future buildings), and Air Monitoring or Engineering Controls and Ex-Situ Treatment and On-Site Placement of Soil/Fill (existing occupied buildings)





6/28/16

4/6/17

9/26/18

DATE

#2

#3

REVISION

Add Building Numbers

Add Former Building Footprints

Update Owner Table

DESCRIPTION

DRAWN BY:

CHECKED BY: B.T. Zewe

APPROVED BY: K.J. Bird

T.N. Fitzroy

DRAWING NUMBER

13620B2

DATE: 3/24/14

DATE: 07/08/14

DATE: 07/08/14

66

67

AR

69

70

17

NΑ

NΑ

13, 19

16

CHEMICAL COMPOUNDS, INC.

CELCOR ASSOC., LLC.

CITY OF NEWARK


SHARPMORE HOLDING INC.

ESTATE OF CAROLE GRAIFMAN

#17

BUILDING NUMBER

VACANT BUILDING








CEA BOUNDARY

PROPERTY BOUNDARY

LOT NUMBER





RIVERSIDE INDUSTRIAL PARK SUPERFUND SITE NEWARK, NEW JERSEY


DRAWING NUMBER

DRAWN E CHECKED BY: B.T. Zewe DATE: 10-15-2019 DESCRIPTION APPROVED BY: K.J. Bird DATE: 10-15-2019 REVISION DATE














Figure 3-1 Site-Wide Soil Sampling Results

Arsenic ARAR = 19 mg/kg


Riverside Industrial Park Superfund Site 29 Riverside Avenue City of Newark, New Jersey



Legend

RIFS Soil Sampling Results (mg/kg)

- Result Not Detected (green)
- Detection Below ARAR (yellow)
- Detection Exceeds ARAR (blue)
- Buildings (Survey)



Notes:

- Locations with
 multiple results represent
 multiple sample depth
 intervals at that location.
- 2. Surface samples taken < 2', subsurface samples taken ≥ 2' based on initial interval depth.
- 3. Field duplicate results not plotted.
- 4. See results tables for qualifier definitions.

Feet 1 inch = 125 feet

200

Project #: 0013620 Map Created: June 2020






Figure 3-2 Site-Wide Soil Sampling Results

Benzene ARAR = 5 mg/kg


Riverside Industrial Park Superfund Site 29 Riverside Avenue City of Newark, New Jersey



Legend

RIFS Soil Sampling Results (mg/kg)

- Result Not Detected (green)
- Detection Below ARAR (yellow)
- Detection Exceeds ARAR (blue)
- Buildings (Survey)



Notes:

- 1. Locations with multiple results represent multiple sample depth intervals at that location.
- 2. Surface samples taken < 2', subsurface samples taken ≥ 2' based on initial interval depth.
- 3. Field duplicate results not plotted.
- 4. See results tables for qualifier definitions.

100

Feet 1 inch = 125 feet

200

Project #: 0013620 Map Created: June 2020






Figure 3-3 Site-Wide Soil Sampling Results

Benz(a)anthracene ARAR = 17 mg/kg

Riverside Industrial Park Superfund Site 29 Riverside Avenue City of Newark, New Jersey



Legend

RIFS Soil Sampling Results (mg/kg)

- Result Not Detected (green)
- Detection Below ARAR (yellow)
- Detection Exceeds ARAR (blue)
- Buildings (Survey)



Notes:

- 1. Locations with multiple results represent multiple sample depth intervals at that location.
- 2. Surface samples taken < 2', subsurface samples taken ≥ 2' based on initial interval depth.
- 3. Field duplicate results not plotted.
- 4. See results tables for qualifier definitions.

100

200

Feet 1 inch = 125 feet

Project #: 0013620 Map Created: June 2020






Figure 3-4 Site-Wide Soil Sampling Results

Benzo(a)pyrene ARAR = 2 mg/kg

Riverside Industrial Park Superfund Site 29 Riverside Avenue City of Newark, New Jersey



Legend

RIFS Soil Sampling Results (mg/kg)

- Result Not Detected (green)
- Detection Below ARAR (yellow)
- Detection Exceeds ARAR (blue)
- Buildings (Survey)



Notes:

- 1. Locations with multiple results represent multiple sample depth intervals at that location.
- 2. Surface samples taken < 2', subsurface samples taken ≥ 2' based on initial interval depth.
- 3. Field duplicate results not plotted.
- 4. See results tables for qualifier definitions.

100

Feet 1 inch = 125 feet

200

Project #: 0013620 Map Created: June 2020






Figure 3-5 Site-Wide Soil Sampling Results

Benzo(b)fluoranthracene ARAR = 17 mg/kg


Riverside Industrial Park Superfund Site 29 Riverside Avenue City of Newark, New Jersey



Legend

RIFS Soil Sampling Results (mg/kg)

- Result Not Detected (green)
- Detection Below ARAR (yellow)
- Detection Exceeds ARAR (blue)
- Buildings (Survey)



Notes:

- 1. Locations with multiple results represent multiple sample depth intervals at that location.
- 2. Surface samples taken < 2', subsurface samples taken ≥ 2' based on initial interval depth.
- 3. Field duplicate results not plotted.
- 4. See results tables for qualifier definitions.

Feet 1 inch = 125 feet

200

Project #: 0013620 Map Created: June 2020






Figure 3-6 Site-Wide Soil Sampling Results

Dibenz(a,h)anthracene ARAR = 2 mg/kg


Riverside Industrial Park Superfund Site 29 Riverside Avenue City of Newark, New Jersey



Legend

RIFS Soil Sampling Results (mg/kg)

- Result Not Detected (green)
- Detection Below ARAR (yellow)
- Detection Exceeds ARAR (blue)
- Buildings (Survey)



Notes:

- 1. Locations with multiple results represent multiple sample depth intervals at that location.
- 2. Surface samples taken < 2', subsurface samples taken ≥ 2' based on initial interval depth.
- 3. Field duplicate results not plotted.
- 4. See results tables for qualifier definitions.

100

Feet 1 inch = 125 feet

200

Project #: 0013620 Map Created: June 2020






Figure 3-7 Site-Wide Soil Sampling Results

Lead

ARAR = 800 mg/kg

Riverside Industrial Park Superfund Site 29 Riverside Avenue City of Newark, New Jersey



Legend

RIFS Soil Sampling Results (mg/kg)

- Result Not Detected (green)
- Detection Below ARAR (yellow)
- Detection Exceeds ARAR (blue)
- Buildings (Survey)



Notes:

- 1. Locations with multiple results represent multiple sample depth intervals at that location.
- 2. Surface samples taken < 2', subsurface samples taken ≥ 2' based on initial interval depth.
- 3. Field duplicate results not plotted.
- 4. See results tables for qualifier definitions

eet

200

Feet 1 inch = 125 feet

Project #: 0013620 Map Created: June 2020






Figure 3-8 Site-Wide Soil Sampling Results

Manganese ARAR = 5,900 mg/kg

Riverside Industrial Park Superfund Site 29 Riverside Avenue City of Newark, New Jersey



Legend

RIFS Soil Sampling Results (mg/kg)

- Result Not Detected (green)
- Detection Below ARAR (yellow)
- Detection Exceeds ARAR (blue)
- Buildings (Survey)

Lot Boundary

Notes:

- 1. Locations with multiple results represent multiple sample depth intervals at that location.
- 2. Surface samples taken < 2', subsurface samples taken ≥ 2' based on initial interval depth.
- 3. Field duplicate results not plotted.
- 4. See results tables for qualifier definitions.

10

100

200

Feet 1 inch = 125 feet

Project #: 0013620 Map Created: June 2020





Figure 3-9 Site-Wide Soil Sampling Results

Naphthalene ARAR = 17 mg/kg


Riverside Industrial Park Superfund Site 29 Riverside Avenue City of Newark, New Jersey



Legend

RIFS Soil Sampling Results (mg/kg)

- Result Not Detected (green)
- Detection Below ARAR (yellow)
- Detection Exceeds ARAR (blue)
- Buildings (Survey)



Notes:

- 1. Locations with multiple results represent multiple sample depth intervals at that location.
- 2. Surface samples taken < 2', subsurface samples taken ≥ 2' based on initial interval depth.
- 3. Field duplicate results not plotted.
- 4. See results tables for qualifier definitions.

Feet 1 inch = 125 feet

200

Project #: 0013620 Map Created: June 2020






Figure 3-10 Site-Wide Soil Sampling Results

Aroclor-1254 ARAR = 1 mg/kg

Riverside Industrial Park Superfund Site 29 Riverside Avenue City of Newark, New Jersey



Legend

RIFS Soil Sampling Results (mg/kg)

- Result Not Detected (green)
- Detection Below ARAR (yellow)
- Detection Exceeds ARAR (blue)
- Buildings (Survey)



Notes:

- 1. Locations with multiple results represent multiple sample depth intervals at that location.
- 2. Surface samples taken < 2', subsurface samples taken ≥ 2' based on initial interval depth.
- 3. Field duplicate results not plotted.
- 4. See results tables for qualifier definitions.

Feet 1 inch = 125 feet

200

Project #: 0013620 Map Created: June 2020





Figure 3-11 Site-Wide Soil Sampling Results

Aroclor-1260 ARAR = 1 mg/kg


Riverside Industrial Park Superfund Site 29 Riverside Avenue City of Newark, New Jersey



Legend

RIFS Soil Sampling Results (mg/kg)

- Result Not Detected (green)
- Detection Below ARAR (yellow)
- Detection Exceeds ARAR (blue)
- Buildings (Survey)



Notes:

- 1. Locations with multiple results represent multiple sample depth intervals at that location.
- 2. Surface samples taken < 2', subsurface samples taken ≥ 2' based on initial interval depth.
- 3. Field duplicate results not plotted.
- 4. See results tables for qualifier definitions.

Feet 1 inch = 125 feet

200

Project #: 0013620 Map Created: June 2020






Figure 3-12 Site-Wide Soil Sampling Results

Aroclor-1262 ARAR = 1 mg/kg


Riverside Industrial Park Superfund Site 29 Riverside Avenue City of Newark, New Jersey



Legend

RIFS Soil Sampling Results (mg/kg)

- Result Not Detected (green)
- Detection Below ARAR (yellow)
- Detection Exceeds ARAR (blue)
- Buildings (Survey)



Notes:

- 1. Locations with multiple results represent multiple sample depth intervals at that location.
- 2. Surface samples taken < 2', subsurface samples taken ≥ 2' based on initial interval depth.
- 3. Field duplicate results not plotted.
- 4. See results tables for qualifier definitions.

Feet 1 inch = 125 feet

200

Project #: 0013620 Map Created: June 2020






Figure 3-13 Site-Wide Soil Sampling Results

Trichloroethylene ARAR = 10 mg/kg


Riverside Industrial Park Superfund Site 29 Riverside Avenue City of Newark, New Jersey



Legend

RIFS Soil Sampling Results (mg/kg)

- Result Not Detected (green)
- Detection Below ARAR (yellow)
- Detection Exceeds ARAR (blue)
- Buildings (Survey)



Notes:

- 1. Locations with multiple results represent multiple sample depth intervals at that location.
- 2. Surface samples taken < 2', subsurface samples taken ≥ 2' based on initial interval depth.
- 3. Field duplicate results not plotted.
- 4. See results tables for qualifier definitions.

100

Feet 1 inch = 125 feet

200

Project #: 0013620 Map Created: June 2020






Figure 3-14 Site-Wide Soil Sampling Results

Vinyl Chloride ARAR = 2 mg/kg


Riverside Industrial Park Superfund Site 29 Riverside Avenue City of Newark, New Jersey



Legend

RIFS Soil Sampling Results (mg/kg)

- Result Not Detected (green)
- Detection Below ARAR (yellow)
- Detection Exceeds ARAR (blue)
- Buildings (Survey)



Notes:

- 1. Locations with multiple results represent multiple sample depth intervals at that location.
- 2. Surface samples taken < 2', subsurface samples taken ≥ 2' based on initial interval depth.
- 3. Field duplicate results not plotted.
- 4. See results tables for qualifier definitions.

100

Feet 1 inch = 125 feet

200

Project #: 0013620 Map Created: June 2020




Trichloroethane, 1,1,2 Groundwater Sampling Results - Fill Unit


Riverside Industrial Park Superfund Site 29 Riverside Avenue City of Newark, New Jersey RIFS Groundwater Sampling Results (ug/L)

- Result Not Detected (green)
- Detection Below ARAR (yellow)
- Detection Exceeds ARAR (blue)
- ---- Buildings (Survey)

1. See RIR results tables for qualifier definitions.



Project #: 0013620 Map Created: June 2020




Dioxane, 1,4
Groundwater Sampling
Results - Fill Unit

Riverside Industrial Park Superfund Site 29 Riverside Avenue City of Newark, New Jersey RIFS Groundwater Sampling Results (ug/L)

- Result Not Detected (green)
- Detection Below ARAR
- Detection Exceeds ARAR
- ---- Buildings (Survey)

1. See RIR results tables for qualifier definitions.



Project #: 0013620 Map Created: June 2020




Acetone Groundwater Sampling Results - Fill Unit

Riverside Industrial Park Superfund Site 29 Riverside Avenue City of Newark, New Jersey RIFS Groundwater Sampling Results (ug/L)

- Result Not Detected (green)
- Detection Below ARAR
- Detection Exceeds ARAR
- Buildings (Survey)

1. See RIR results tables for qualifier definitions.



Project #: 0013620 Map Created: June 2020




Antimony Groundwater Sampling Results - Fill Unit

Riverside Industrial Park Superfund Site 29 Riverside Avenue City of Newark, New Jersey RIFS Groundwater Sampling Results (ug/L)

- Result Not Detected (green)
- Detection Below ARAR
- Detection Exceeds ARAR
- ---- Buildings (Survey)

1. See RIR results tables for qualifier definitions.



Project #: 0013620 Map Created: June 2020




Arsenic Groundwater Sampling Results - Fill Unit


Riverside Industrial Park Superfund Site 29 Riverside Avenue City of Newark, New Jersey RIFS Groundwater Sampling Results (ug/L)

- Result Not Detected (green)
- Detection Below ARAR
- Detection Exceeds ARAR
- Buildings (Survey)

1. See RIR results tables for qualifier definitions.



Project #: 0013620 Map Created: June 2020




Benzene Groundwater Sampling Results - Fill Unit

Riverside Industrial Park Superfund Site 29 Riverside Avenue City of Newark, New Jersey RIFS Groundwater Sampling Results (ug/L)

- Result Not Detected (green)
- Detection Below ARAR (yellow)
- Detection Exceeds ARAR (blue)
- ---- Buildings (Survey)

1. See RIR results tables for qualifier definitions.



Project #: 0013620 Map Created: June 2020




Benzo[a]Pyrene Groundwater Sampling Results - Fill Unit

Riverside Industrial Park Superfund Site 29 Riverside Avenue City of Newark, New Jersey RIFS Groundwater Sampling Results (ug/L)

- Result Not Detected (green)
- Detection Below ARAR
- Detection Exceeds ARAR
- ---- Buildings (Survey)

1. See RIR results tables for qualifier definitions.



Project #: 0013620 Map Created: June 2020




Cadmium **Groundwater Sampling** Results - Fill Unit

Riverside Industrial Park Superfund Site 29 Riverside Avenue City of Newark, New Jersey

RIFS Groundwater Sampling Results (ug/L)

- Result Not Detected (green)
- Detection Below ARAR Detection Exceeds ARAR
- Buildings (Survey)

1. See RIR results tables for qualifier definitions.



Project #: 0013620 Map Created: June 2020




Benzo[a]Anthracene **Groundwater Sampling** Results - Fill Unit

Riverside Industrial Park Superfund Site 29 Riverside Avenue City of Newark, New Jersey

RIFS Groundwater Sampling Results (ug/L)

- Result Not Detected (green)
- Detection Below ARAR
- Detection Exceeds ARAR
- Buildings (Survey)

1. See RIR results tables for qualifier definitions.



Project #: 0013620 Map Created: June 2020




Ethylbenzene **Groundwater Sampling Results - Fill Unit**

Riverside Industrial Park Superfund Site 29 Riverside Avenue City of Newark, New Jersey

RIFS Groundwater Sampling Results (ug/L)

- Result Not Detected (green)
- Detection Below ARAR (yellow) Detection Exceeds ARAR (blue)
- Buildings (Survey)

1. See RIR results tables for qualifier definitions.



Project #: 0013620 Map Created: June 2020




Indeno[1,2,3-cd]pyrene Groundwater Sampling Results - Fill Unit


Riverside Industrial Park Superfund Site 29 Riverside Avenue City of Newark, New Jersey RIFS Groundwater Sampling Results (ug/L)

- Result Not Detected (green)
- Detection Below ARAR
- Detection Exceeds ARAR
- ---- Buildings (Survey)

1. See RIR results tables for qualifier definitions.



Project #: 0013620 Map Created: June 2020




Lead **Groundwater Sampling** Results - Fill Unit

Riverside Industrial Park Superfund Site 29 Riverside Avenue City of Newark, New Jersey

RIFS Groundwater Sampling Results (ug/L)

- Result Not Detected (green)
- Detection Below ARAR Detection Exceeds ARAR
- ---- Buildings (Survey)

1. See RIR results tables for qualifier definitions.



Project #: 0013620 Map Created: June 2020




Xylene, m,p **Groundwater Sampling** Results - Fill Unit

Riverside Industrial Park Superfund Site 29 Riverside Avenue City of Newark, New Jersey

RIFS Groundwater Sampling Results (ug/L)

- Result Not Detected (green)
- Detection Below ARAR
- Detection Exceeds ARAR
- ----- Buildings (Survey)

1. See RIR results tables for qualifier definitions.



Project #: 0013620 Map Created: June 2020




Methyl Ethyl Ketone (2-Butanone) **Groundwater Sampling** Results - Fill Unit

Riverside Industrial Park Superfund Site 29 Riverside Avenue City of Newark, New Jersey

RIFS Groundwater Sampling Results (ug/L)

- Result Not Detected (green)
- Detection Below ARAR
- Detection Exceeds ARAR
- Buildings (Survey)



Project #: 0013620 Map Created: June 2020




Cresol, pGroundwater Sampling Results - Fill Unit

Riverside Industrial Park Superfund Site 29 Riverside Avenue City of Newark, New Jersey RIFS Groundwater Sampling Results (ug/L)

- Result Not Detected (green)
- Detection Below ARAR
- Detection Exceeds ARAR
- ----- Buildings (Survey)

1. See RIR results tables for qualifier definitions.




Project #: 0013620 Map Created: June 2020



Pentachlorophenol Groundwater Sampling Results - Fill Unit

Riverside Industrial Park Superfund Site 29 Riverside Avenue City of Newark, New Jersey RIFS Groundwater Sampling Results (ug/L)

- Result Not Detected (green)
- O Detection Below ARAR
- Detection Exceeds ARAR
- ---- Buildings (Survey)



Project #: 0013620 Map Created: June 2020




Toluene Groundwater Sampling Results - Fill Unit

Riverside Industrial Park Superfund Site 29 Riverside Avenue City of Newark, New Jersey RIFS Groundwater Sampling Results (ug/L)

- Result Not Detected (green)
- Detection Below ARAR
- Detection Exceeds ARAR
- ----- Buildings (Survey)

1. See RIR results tables for qualifier definitions.




Project #: 0013620 Map Created: June 2020



1,1,2-Trichloroethane and Benzo[a]anthracene **Deep Unit**

Riverside Industrial Park Superfund Site 29 Riverside Avenue City of Newark, New Jersey

- Result Not Detected (green)
- Oetection Below ARAR (yellow)
- Detection Exceeds ARAR (blue)
- Buildings (Survey)






Tetrachloroethane, 1,1,2,2, and Tetrachloroethylene Deep Unit

Riverside Industrial Park Superfund Site 29 Riverside Avenue City of Newark, New Jersey

Results (ug/L)

- Result Not Detected (green)
- Detection Below ARAR (yellow)
- Detection Exceeds ARAR (blue)
- Buildings (Survey)






Groundwater Sampling Results Benzene, 1,4-Dioxane, and Lead **Deep Unit**

> Riverside Industrial Park Superfund Site 29 Riverside Avenue City of Newark, New Jersey

RIFS Groundwater Sampling Results (ug/L)

- Result Not Detected (green)
- Detection Below ARAR
- Detection Exceeds ARAR
- Buildings (Survey)

1. See RIR results tables for qualifier definitions








Figure 3-35 Site-Wide Soil Sampling Results

Copper PRG = 526 mg/kg


Riverside Industrial Park Superfund Site 29 Riverside Avenue City of Newark, New Jersey



Legend

RIFS Soil Sampling Results (mg/kg)

- Result Not Detected (green)
- Detection Below ARAR (yellow)
- Detection Exceeds ARAR (blue)
- Buildings (Survey)



Notes:

- 1. Locations with multiple results represent multiple sample depth intervals at that location.
- 2. Surface samples taken < 2', subsurface samples taken ≥ 2' based on initial interval depth.
- 3. Field duplicate results not plotted.
- 4. See results tables for qualifier definitions.

Feet 1 inch = 125 feet

200

Project #: 0013620 Map Created: June 2020






Figure 3-36

Site-Wide

Soil Sampling Results
Napthalene
PRG = 0.62 mg/kg
Riverside Industrial Park Superfund Site
29 Riverside Avenue
City of Newark, New Jersey

Legend

Result Not Detected

Detection Below ARAR (yellow)

Detection Exceeds ARAR (blue)

· Buildings (Survey)

Lot Boundary

multiple results represent multiple sample depth intervals at that location.

2. Surface samples taken < 2', subsurface samples taken ≥ 2' based on initial interval depth.

3. Field duplicate results

4. See results tables for qualifier definitions.

Project #: 0013620 Map Created: June 2020

100

1 inch = 125 feet

Third Party GIS Disclaimer: This map is for reference and graphical purposes only and should not be relied upon by third parties for any legal decisions. Any reliance upon the map or data contained herein shall be at the

200

not plotted.

Notes:

1. Locations with

RIFS Soil Sampling Results (mg/kg)

(green)






Figure 3-37 Site-Wide Soil Sampling Results

Trichloroethene PRG = 0.02 mg/kg


Riverside Industrial Park Superfund Site 29 Riverside Avenue City of Newark, New Jersey



Legend

RIFS Soil Sampling Results (mg/kg)

- Result Not Detected (green)
- Detection Below ARAR (yellow)
- Detection Exceeds ARAR (blue)
- Buildings (Survey)



Notes:

- 1. Locations with multiple results represent multiple sample depth intervals at that location.
- 2. Surface samples taken < 2', subsurface samples taken ≥ 2' based on initial interval depth.
- 3. Field duplicate results not plotted.
- 4. See results tables for qualifier definitions.

100 200
Feet
1 inch = 125 feet

Project #: 0013620 Map Created: June 2020






Figure 3-38 Site-Wide Soil Sampling Results

xylene, m-p PRG = 6.5 mg/kg


Riverside Industrial Park Superfund Site 29 Riverside Avenue City of Newark, New Jersey



Legend

RIFS Soil Sampling Results (mg/kg)

- Result Not Detected (green)
- Detection Below ARAR (yellow)
- Detection Exceeds ARAR (blue)
- Buildings (Survey)



Notes:

- 1. Locations with multiple results represent multiple sample depth intervals at that location.
- 2. Surface samples taken < 2', subsurface samples taken ≥ 2' based on initial interval depth.
- 3. Field duplicate results not plotted.
- 4. See results tables for qualifier definitions.

Feet 1 inch = 125 feet

200

Project #: 0013620 Map Created: June 2020



JOB NO.: 0013620

DATE: June, 2020

1 inch = 100 feet

SHEET: OF

FIGURE 5-1

Newark, New Jersey

RIVERSIDE INDUSTRIAL PARK SUPERFUND SITE

Soil Alternative 2 - Institutional Controls and NAPL Removal

© 2020 Microsoft Corporation © 2020 Maxar ©CNES (2020) Distribution Airbus DS

Spatial Reference Name: NAD 1983 StatePlane New Jersey FIPS 2900 Feet





JOB NO.: DATE:	0013620
DATE:	June, 2020
1 inch =	100 feet
SHEET	OF


RIVERSIDE INDUSTRIAL PARK SUPERFUND SITE

Newark, New Jersey

Soil Alternative 3 - Institutional Controls, Engineering Controls and NAPL Removal

© 2020 Microsoft Corporation © 2020 Maxar ©CNES (2020) Distribution Airbus DS

Spatial Reference Name: NAD 1983 StatePlane New Jersey FIPS 2900 Feet





Soil Boring

Footprint of Engineering Controls (Bulkhead)

Underground Storage Tanks

Site Boundary

Site Lots

Insitutional Controls

Excavation and Off-Site Disposal - UST and Soil/Fill NAPL

Footprint of Soil Alternative 4 for Focused Lead Removal

Engineering Control (Cap)

Note: Building demolition is not required or incorporated in this alternative

JOB NO.: 0013620

DATE: June, 2020

1 inch = 100 feet

SHEET: OF

FIGURE 5-3 Newark, N


RIVERSIDE INDUSTRIAL PARK SUPERFUND SITE


Newark, New Jersey

Soil Alternative 4 - Institutional Controls, Engineering Controls, Focused Removal with Off-Site Disposal of Lead and NAPL Removal

© 2020 Microsoft Corporation © 2020 Maxar ©CNES (2020) Distribution Airbus DS

Spatial Reference Name: NAD 1983 StatePlane New Jersey FIPS 2900 Feet






JOB NO.:	0013620
DATE:	June, 2020
1 inch =	100 feet
SHEET	OF

RIVERSIDE INDUSTRIAL PARK SUPERFUND SITE

Newark, New Jersey

Soil Alternative 5 - Institutional Controls, In-Situ Remediation, Engineering Controls and NAPL Removal © 2020 Microsoft Corporation © 2020 Maxar ©CNES (2020) Distribution Airbus DS

Spatial Reference Name: NAD 1983 StatePlane New Jersey FIPS 2900 Feet





JOB NO.:	0013620
DATE:	June, 2020
1 inch =	100 feet
SHEET	OF


RIVERSIDE INDUSTRIAL PARK SUPERFUND SITE

Newark, New Jersey

Soil Alternative 6 - Institutional Controls, Removal and Off-Site Disposal and NAPL Removal

© 2020 Microsoft Corporation © 2020 Maxar ©CNES (2020) Distribution Airbus DS

Spatial Reference Name: NAD 1983 StatePlane New Jersey FIPS 2900 Feet





JOB NO.:	0013620
DATE:	June, 2020
1 inch =	100 feet
SHEET:	OF

RIVERSIDE INDUSTRIAL PARK SUPERFUND SITE


Newark, New Jersey


Soil Alternative 7 - Institutional Controls, Ex-Situ Treatment and On-Site Placement, Engineering Controls and NAPL Removal


© 2020 Microsoft Corporation © 2020 Maxar ©CNES (2020) Distribution Airbus DS


Spatial Reference Name: NAD 1983 StatePlane New Jersey FIPS 2900 Feet











JOB NO.: 0013620

DATE: June, 2020

1 inch = 160 feet

SHEET: OF

Figure 5-7


RIVERSIDE INDUSTRIAL PARK SUPERFUND SITE

Newark, New Jersey


Groundwater Alternative 2 - Institutional Controls, Site Containment and Pump and Treat


© 2020 Microsoft Corporation © 2020 Maxar ©CNES (2020) Distribution Airbus DS


Spatial Reference Name: NAD 1983 StatePlane New Jersey FIPS 2900 Feet











JOB NO.: 0013620 June, 2020 1 inch = 160 feet


Figure 5-8


SHEET: OF


Newark, New Jersey

RIVERSIDE INDUSTRIAL PARK SUPERFUND SITE


Groundwater Alternative 3 -Institutional Controls and In-Situ Remediation © 2020 Microsoft Corporation © 2020 Maxar ©CNES (2020) Distribution Airbus DS











JOB NO.: 0013620

DATE: June, 2020

1 inch = 160 feet

SHEET: OF

Figure 5-9


RIVERSIDE INDUSTRIAL PARK SUPERFUND SITE

Newark, New Jersey

Groundwater Alternative 4 Institutional Controls, Pump and Treat, and Targeted Periodic In-Situ
Site Remediation

© 2020 Microsoft Corporation © 2020 Maxar ©CNES (2020) Distribution Airbus DS

Spatial Reference Name: NAD 1983 StatePlane New Jersey FIPS 2900 Feet





JOB NO.:	0013620
DATE:	June, 2020
1 inch =	100 feet
SHEET	OF

RIVERSIDE INDUSTRIAL PARK SUPERFUND SITE

Newark, New Jersey

Groundwater Alternative 5 - Institutional Controls, Site Containment and Focused In-Situ Remediation

© 2020 Microsoft Corporation © 2020 Maxar ©CNES (2020) Distribution Airbus DS

Spatial Reference Name: NAD 1983 StatePlane New Jersey FIPS 2900 Feet





Groundwater Alternative 6 -

JOB NO.: 0013620

DATE: June, 2020

1 inch = 100 feet

SHEET: OF


FIGURE 5-11 Newark, New Jersey

RIVERSIDE INDUSTRIAL PARK SUPERFUND SITE

Institutional Controls and Site Containment

© 2020 Microsoft Corporation © 2020 Maxar ©CNES (2020) Distribution Airbus DS

Spatial Reference Name: NAD 1983 StatePlane New Jersey FIPS 2900 Feet





JOB NO.: 0013620

DATE: June, 2020

1 inch = 100 feet

SHEET: OF

FIGURE 5-12


RIVERSIDE INDUSTRIAL PARK SUPERFUND SITE

Newark, New Jersey

Groundwater Alternative 7 - Institutional Controls, Site Containment and Monitored Natural Attenuation

© 2020 Microsoft Corporation © 2020 Maxar ©CNES (2020) Distribution Airbus DS

Spatial Reference Name: NAD 1983 StatePlane New Jersey FIPS 2900 Feet






JOB NO.:	0013620
DATE:	June, 2020
1 inch =	100 feet
SHEET	OF

RIVERSIDE INDUSTRIAL PARK SUPERFUND SITE

Newark, New Jersey

Soil Gas Alternative 2 - Institutional Controls, Air Monitoring or Engineering Controls (Existing Occupied Buildings) and Site-Wide Engineering Controls (Future Buildings)

© 2020 Microsoft Corporation © 2020 Maxar ©CNES (2020) Distribution Airbus DS





Soil Boring

Underground Storage Tanks

Site Boundary

Site Lots

Insitutional Controls

Air Monitoring or Engineering Controls (Existing Occupied Buildings)

100 Foot Buffer of Existing Occupied Building

Remedial Footprint

More Than 100 Feet From Existing Occupied Building - Engineering Controls or Air Monitoring Apply

Within 100 Feet of Existing Occupied Building – Active Remediation (In-Situ)

Shallow Groundwater Vapor Intrusion Screening Level Exceedance.

Existing or future buildings within 100-foot radius from monitoring well will warrant further investigation for potential vapor intrusion or institutional controls. Areas are based on current data. Boundary would be delineated from the edge of the plume, per NJDEP guidance.

JOB NO.: 0013620 June, 2020 1 inch = 100 feet SHEET: OF


FIGURE 5-14

RIVERSIDE INDUSTRIAL PARK SUPERFUND SITE

Newark, New Jersey

Soil Gas Alternative 3 - Institutional Controls, Sit-Wide Engineering Controls (Future Buildings), and In-Situ Remediation of Soil/Fill (existing occupied buildings)

© 2020 Microsoft Corporation © 2020 Maxar ©CNES (2020) Distribution Airbus DS





- Soil Boring
- **Underground Storage Tanks**
- Site Boundary
- Site Lots
- Insitutional Controls
- Air Monitoring or Engineering Controls (Existing Occupied Buildings)
- 100 Foot Buffer of Existing Occupied Building

Remedial Footprint

More Than 100 Feet From Existing Occupied Building - Engineering Controls or Air Monitoring Apply

Within 100 Feet of Existing Occupied Building – Active Remediation (Removal and Off-Site Disposal)

Shallow Groundwater Vapor Intrusion Screening Level Exceedance.

Existing or future buildings within 100-foot radius from monitoring well will warrant further investigation for potential vapor intrusion or institutional controls. Areas are based on current data. Boundary would be delineated from the edge of the plume, per NJDEP guidance.

JOB NO.: 0013620 June, 2020 1 inch = 100 feet SHEET: OF

FIGURE 5-15

RIVERSIDE INDUSTRIAL PARK SUPERFUND SITE

Newark, New Jersey

Soil Gas Alternative 4 - Institutional Controls, Sit-Wide Engineering Controls (Future Buildings), and Air Monitoring or Engineering Controls and Removal and Off-Site Disposal of Soil/ Fill (existing occupied buildings)

© 2020 Microsoft Corporation © 2020 Maxar ©CNES (2020) Distribution Airbus





Soil Boring

Underground Storage Tanks

Site Boundary

Site Lots Insitutional Controls

Air Monitoring or Engineering Controls (Existing Occupied Buildings)

100 Foot Buffer of Existing Occupied Building

Remedial Footprint

More Than 100 Feet From Existing Occupied Building - Engineering Controls or Air Monitoring Apply

Within 100 Feet of Existing Occupied Building – Active Remediation (Ex-Situ)

Shallow Groundwater Vapor Intrusion Screening Level Exceedance.

Existing or future buildings within 100-foot radius from monitoring well will warrant further investigation for potential vapor intrusion or institutional controls. Areas are based on current data. Boundary would be delineated from the edge of the plume, per NJDEP guidance.

JOB NO.: 0013620 June, 2020 1 inch = 100 feet SHEET: OF

FIGURE 5-16

RIVERSIDE INDUSTRIAL PARK SUPERFUND SITE

Newark, New Jersey

Soil Gas Alternative 5 - Institutional Controls, Sit-Wide Engineering Controls (Future Buildings), and Air Monitoring or Engineering Controls and Ex-Situ Treatment and On-Site Placement of Soil/Fill (existing occupied buildings)

© 2020 Microsoft Corporation © 2020 Maxar ©CNES (2020) Distribution Airbus

